


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880



approved
SPC
2/17/04

1/7




FIG. 1A
(PRIOR ART)




FIG. 1B
(PRIOR ART)




FIG. 1C
(PRIOR ART)




FIG. 1D
(PRIOR ART)




FIG. 1E
(PRIOR ART)




FIG. 2 (PRIOR
ART)





FIG. 3 (PRIOR
ART)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880



not approved
2/17/04




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B (PRIOR ART)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880



approved
SFC
2/17/04

3/7




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880

4/7



*approved
SBC
2/17/04*





FIG. 8



delete dark line
straight line at base
FIG. 9A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880

5/7



*approved
for
2/17/04*




FIG. 9B (PRIOR ART)

RECEIVED
FEB 19 2004




FIG. 9C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

LOCK1880

6/7



*affirmed
APC
2/17/04*

LOCK1880




FIG. 9D

straight edge at base

